

Type list valid from 1 July 2019

high-quality and upgradeable

multipurpose trolleys

Variocar®







Variocar[®]+ Variocar[®] Viva multipurpose trolleys

The original multifunctional system. Often replicated – but never reached. The classic, functionally adaptable multipurpose trolley series with a licence for subsequent expansions thanks to the brilliant plug-in system.

The advantages of the system:

Multifunctionality

From the simple basic trolley to the fully equipped functional trolley. A coherent, sophisticated system with a wide range of accessories for your individual requirements.

Modularity

You design your own trolley according to your individual needs. With the brilliant plug-in-system you can add parts at any time or modulate your trolley.

Hygiene

Mainly closed, easy to clean surfaces - even lateral and at the rear.

Shelves

High quality, white, shelves with five-layer coatings on all sides, with solid edges, all sides plastic veneered. Non-fading, resistant against common disinfectants.

Chassis

Very sturdy square tubular steel frame with brilliant plugin system. Variocar[®] chromium-plated and Variocar[®]-Viva[®] aluminium, matt anodized with an elegantly discreet striped structure.

Drawers

white with veneered fronts and elegant design handles. Light telescopic guide rollers with click-in mechanism. Easily removable.

Castors

in three sizes (Ø 50 mm, Ø 75 mm, Ø 100 mm). On request lockable or electrically conductive.

Colours

Shelves and drawers are white. The Variocar® trolleys are supplied as standard with white drawer handles. The Variocar® Viva models have grey drawer handles. Other beautiful handle colours can be found on page 10.

Assembly

All trolleys are delivered disassembled, unless otherwise indicated. Assembled delivery is possible against surcharge.

Dimensions

| Widths: | |
|----------|--|
| Depth: | |
| Heights: | |

490 / 600 / 900 mm 450 mm 520 / 705 / 730 / 830 / 870 mm

Loading capacity

| lotal: | approx. up to 50 kg |
|-----------------------------|---------------------|
| Shelves without outer edge: | approx. up to 10 kg |
| Shelves with outer edge: | approx. up to 20 kg |
| Drawer: | approx. up to 10 kg |



HAEBERLE specialises in particular in providing customized OEM versions for industrial clients. Let us know your specifications and we will provide you a trolley according to your personally requirements.

Description

Variocar[®]-Viva

multipurpose trolleys with aluminium frame

The Viva®-multipurpose-series with an elegant aluminium frame, presents itself in trendy light facility design. A slightly striped design, alu-silver matt anodised, white shelves, drawers and elegant grey design handles blend harmoniously into a modern ambience. The brilliant plug-in system for modular combination varieties, smooth, clear surfaces and all advantages of the Variocar® range make the Viva®-series a trendy highlight. All trolleys are delivered disassembled.

Variocar®-Viva basic trolleys 45/60

| Variocar®-Viva 45 basic trolley 705 mm high | F | white, castors: Ø 50 mm Dim.: 490 x 450 x 705 mm (w x d x h) Model with 1 drawer 2 drawers 3 drawers 4 drawers | 12239 12240 12241 12242 |
|---|-----|---|---|
| Variocar®-Viva 45 basic trolley 805 mm high | | white, castors: Ø 50 mm Dim.: 490 x 450 x 805 mm (w x d x h) Model with 1 drawer 2 drawers 3 drawers 4 drawers 5 drawers | 12243 12244 12245 12246 12247 |
| Variocar®-Viva 45 underneath trolley 520 mm high | 666 | white, castors: Ø 50 mm Dim.: 490 x 450 x 520 mm (w x d x h) Model with 1 drawer 2 drawers 3 drawers | 12235 12236 12237 |
| Variocar®-Viva 60 basic trolley 730 mm high | | white, castors: Ø 75 mm Dim.: 600 x 450 x 730 mm (w x d x h) Model with 1 drawer 2 drawers 3 drawers 4 drawers | 15585 15586 15587 15588 |
| Variocar®-Viva 60 basic trolley 830 mm high | | white, castors: Ø 75 mm Dim.: 600 x 450 x 830 mm (w x d x h) Model with 1 drawer 2 drawers 3 drawers 4 drawers 5 drawers | 15590 15591 15592 15593 15594 |



| Item | | Description | Ref. no. |
|---|-----|---|-------------------------|
| Variocar®-Viva 60 underneath trolley 520 mm high | CCC | white, castors: Ø 50 mm Dim.: 600 x 450 x 520 mm (w x d x h) Model with 1 drawer 2 drawers 3 drawers | 15595 15596 15597 |
| Variocar®-Viva 60 underneath trolley 520 mm high with deep set shelf | | white, castors: Ø 50 mm Dim.: 600 x 450 x 520 mm (w x d x h) Model with 1 drawer 2 drawers | 15598 15599 |

Variocar®

multipurpose trolleys with chromium plated frame

The Variocar[®] multipurpose trolleys have white shelves and drawers and are available in many stylish colours: grey, blue, red violet, yellow, turquoise, white and black. In case you do not indicate the colour of the handle when ordering, the trolleys will be delivered with white handles. All Variocar[®] models are delivered disassembled, unless otherwise indicated.

Variocar® basic trolley 45

Variocar® 45 basic trolley 705 mm high



white, castors: Ø 50 mm

Dim.: 490 x 450 x 705 mm (w x d x h)

| Model with | |
|------------|-------|
| 1 drawer | 15609 |
| 2 drawers | 16371 |
| 3 drawers | 16372 |
| 4 drawers | 16373 |
| | |

Variocar[®] 45 basic trolley 805 mm high



white, castors: Ø 50 mm

Dim.: 490 x 450 x 805 mm (w x d x h)

| Model with | |
|------------|-------|
| 1 drawer | 12218 |
| 2 drawers | 12219 |
| 3 drawers | 12220 |
| 4 drawers | 12221 |
| 5 drawers | 12222 |

Variocar[®] 45 underneath trolley 520 mm high



white, castors Ø 50 mm

Dim.: 490 x 450 x 520 mm (w x d x h)

| Model with | |
|------------|-------|
| 1 drawer | 12232 |
| 2 drawers | 12233 |
| 3 drawers | 12234 |

5



Description

Variocar® basic trolley 60

Variocar® 60 basic trolley 730 mm high



white, castors Ø 75 mm

Dim.: 600 x 450 x 730 mm (w x d x h)

Model with 08069 1 drawer 08072 2 drawers 08072 3 drawers 08075 4 drawers 08078

Variocar[®] 60 basic trolley 830 mm high

white, castors Ø 75 mm

5 drawers

 Dim.: 600 x 450 x 830 mm (w x d x h)

 Model with

 1 drawer
 08084

 2 drawers
 08087

 3 drawers
 08090

 4 drawers
 08093

Variocar[®] 60 underneath trolley 520 mm high



white, castors Ø 50 mm. Fits perfectly below examination couches. Dim.: 600 x 450 x 520 mm (w x d x h) Model with 1 drawer 2 drawers 3 drawers

Variocar® 60 underneath trolley 520 mm high with deep set shelf



white, castors Ø 50 mm **Dim.: 600 x 450 x 520 mm (w x d x h) Model with** 1 drawer 08060 2 drawers 08063

Variocar® basic trolley 90

Variocar[®] 90 basic trolley 870 mm high



with 1 drawer and 2 shelves with outer edges, and with 2 stabilisation rails (under the base plate). Castors \emptyset 100 mm (2 lockable), white.

Dim.: 900 x 450 x 870 mm (w x d x h)

The "large capacity trolley" offers a lot of space, and is well suited as a work table.

04511



08096

07797

08051 08054



| Item | | Description | Ref. no. |
|--|---------------------|--|----------------|
| Variocar® sh | elf trolleys 45 / 6 | 60 / 90 | |
| Variocar® 45 shelf trolley 830 mm high | | with 3 shelves, two with outer edges and 1 stabilisation rail, white. Castors Ø 75 mm. Dim.: 490 x 450 x 830 mm (w x d x h) | 14515 |
| Variocar® 60 shelf trolley 830 mm high | | with 3 shelves, two with outer edges and 1 stabilisation rail, white. Castors Ø 75 mm. Dim.: 600 x 450 x 830 mm (w x d x h) Additional price for castors Ø 100 mm. Recommendable for frequent use. Dim.: 600 x 450 x 870 mm (w x d x h) | 05622 05615 |
| Variocar® 90 shelf trolley 870 mm high | | with 2 shelves with outer edges and 2 stabilisation rails (under the base plate), white. Castors Ø 100 mm (2 lockable). Dim.: 900 x 450 x 870 mm (w x d x h) | 04509 |

Variocar® functional trolleys 45 und 60

Examples from practice, which have proved their worth for many years. All functional trolleys can be modified or complemented at any time.

Equipment trolley / Ergometry trolley

| | Basic trolley 830 mm high, with 3 shelves; two of them with outer edges, 1 stabilisation rail and with equipment console (load capacity max. 5 kg). Castors Ø 75 mm, white. <u>Disassembled</u>. Trolley incl. equipment console Dim : 490 x 450 x 1010 mm (w x d x b) | 14435 |
|--|--|--|
| | Console 45 Dim.: 490 x 250 x 180 mm (w x d x h) | |
| an a | Multipurpose trolley 730 mm high, equipment console (load capacity max. 5 kg), cable and hose holder (ref. no. 10265). Castors Ø 75 mm (2 lockable), white. <u>Disassembled</u> . | 05443 |
| | Dim.: 600 x 450 x 730 mm (w x d x h) Height with console: 910 mm (h) | |
| | Console 60 Dim.: 600 x 250 x 180 mm (w x d x h) | |
| | | 3 shelves; two of them with outer edges, 1 stabilisation rail and with equipment console (load capacity max. 5 kg). Castors Ø 75 mm, white. <u>Disassembled</u>. Trolley incl. equipment console Dim.: 490 x 450 x 1010 mm (w x d x h) Console 45 Dim.: 490 x 250 x 180 mm (w x d x h) Multipurpose trolley 730 mm high, equipment console (load capacity max. 5 kg), cable and hose holder (ref. no. 10265). Castors Ø 75 mm (2 lockable), white. <u>Disassembled</u>. Dim.: 600 x 450 x 730 mm (w x d x h) Height with console: 910 mm (h) Console 60 |

Description

Item

Treatment trolleys / Injection trolleys

Variocar[®] 60 treatment trolley COMPACT



Multipurpose trolley 730 mm high, with drawer inset with variable partitions, dressing dispenser "COMPACT" with holding device, waste container with stainless steel bowl. Castors Ø 75 mm (2 lockable), white. <u>Disassembled</u>.

Dim.: 600 x 450 x 1330 mm (w x d x h)

05351

06985

Ref. no.

Variocar[®] 60 treatment trolley PicBox[®] multi



Multipurpose trolley 730 mm high, with drawer inset with variable partitions, injection set "PicBox®" multi with white plastic veneered housing, waste container with stainless steel bowl. Castors Ø 75 mm (2 lockable), white. Disassembled.

______ Dim.: 600 x 450 x 1330 mm (w x d x h)

Variocar[®] 60 injection trolley PicBox[®]



Multipurpose trolley 730 mm high, with drawer inset with variable partitions, injection set "PicBox®", grey-white, holding devices included. Waste container with stainless steel bowl, "Medi-Müll" set waste disposal container (set of 20 boxes à 1,5 litres.), attachment included. Castors Ø 75 mm (2 lockable), white. <u>Disassembled</u>.

Dim.: 600 x 450 x 1310 mm (w x d x h)

05352

Variocar[®] 60 injection trolley PicBox[®] Plus



Multipurpose trolley 730 mm high, with drawer inset with variable partitions, injection set "PicBox®" Plus with holding device, waste container with stainless steel bowl, arm support, "Schluckfix" container for canulas with holding device (set of 20 boxes). Castors Ø 75 mm (2 lockable), white. <u>Disassembled</u>. **05353**

Dim.: 600 x 450 x 1310 mm (w x d x h)

Variocar®

Item

Description

Ref. no.

Injection trolley / Trolley for gynaecology / Writing desk / Cabinet trolley / Diaper-changing trolley / Changing pad

Variocar[®] 60 injection trolley COMPACT



Multipurpose trolley 730 mm high, with drawer inset with variable partitions, injection set "COMPACT" with holding device, waste container with stainless steel bowl, arm support, "Schluckfix" container for canulas (set of 20 boxes) with holding device. Castors Ø 75 mm (2 lockable), white. <u>Disassembled</u>. **Dim.: 600 x 450 x 1330 mm (w x d x h)**

05354

| | • | | |
|---|---|---|-------------------------|
| Variocar® 60 trolley for gynaecology | | Multipurpose trolley 830 mm high, 1 drawer 100 mm high with stainless steel tray and electronical heat regulation, 1 drawer 100 mm high with drawer inset with variable partitions, waste container with stainless steel bowl, waste container for instruments with polypro- pylen bowl. Castors Ø 75 mm (2 lockable), white. <u>Assembled</u> . Dim.: 600 x 450 x 830 mm (w x d x h) <u>Recommendable</u> : Multiple socket outlet 4-fold to bolt on shelf. | 05355 21692 |
| Variocar [®] 60 writing desk | | Multipurpose trolley 830 mm high, inclined surface and inset for writing utensils, remov- able pen holder, storage compartment, 1 drawer 100 mm high, clear height 200 mm, 1 rear panel. Castors Ø 75 mm (2 lockable), white. <u>Assembled</u> . Dim.: 600 x 450 x 1170 mm (w x d x h) <u>Recommendable</u> : - Shelf without outer edge, white - Shelf with pull-out to the right or left side, white | 15584 05537 05404 |
| Variocar [®] 60 cabinet trolley | | 830 mm high with 1 drawer, 1 shelf (removable), 2 doors and with massive, veneered side and rear walls. Castors Ø 75 mm, white. <u>Assembled</u> . Dim.: 600 x 450 x 830 mm (w x d x h) | 04723 |
| Variocar® 60 diaper-changing trolley | | Multipurpose trolley 830 mm high, uphol- stered diaper-changing pad at the top (removable for cleaning), open shelf for uten- sils. 1 drawer 200 mm high, wire basket for cream, powder etc. (on the right side), waste collector "tomo" with lid (on the left side). Castors Ø 75 mm (2 lockable), white. <u>Assembled</u> . Dim.: 860 x 750 x 950 mm (w x d x h) Diaper-changing pad (varying design) Dim.: approx. 650 x 760 mm (w x d) | 14918 |
| Diaper-changing pad | | separately, with varying decorative paints | 14875 |

Description

Ref. no.

System parts for **Variocar® + Variocar-Viva**

Even the basic model is particularly variable and can be adjusted to the individual work style. All parts can easily be mounted at the Variocar[®] - even subsequently. Complete mounting parts as well as guide rails are included in the respective ref. no.

Drawers h 100 mm / Drawer with heated tray / Rear panels / Drawer insets / Drawer 60 h 300 mm

| Drawer 45 | | white, 100 mm high. | |
|-------------------------------|--------|--|----------------|
| | | for Variocar [®] 45, handle white Iockable | 15610 10420 |
| | | Inner dim.: 392 x 384 x 74 mm (w x d x h) | |
| | | for Variocar [®] -Viva 45, handle grey lockable | 12238 10424 |
| Drawer 60 | | for Variocar [®] 60, handle white lockable | 05370 05375 |
| | | Inner dim.: 502 x 384 x 74 mm (w x d x h) | |
| | | for Variocar [®] -Viva 60, handle grey Iockable | 17141 10425 |
| Drawer 90 | | for Variocar [®] 90, handle white Iockable | 04525 05039 |
| | | Inner dim.: 802 x 384 x 74 mm (w x d x h) | |
| | | Please order the appropriate rear panel 45 / 60 / 90 separately. | |
| Drawer 60 with heated tray | | for Variocar [®] made of s/s with electronical heat regulation, adjustable from 35 to 43 °C, white, 100 mm high. | 05384 |
| | *** | Dimensions of heatable surface: 498 x 381 x 37 mm (w x d x h) | |
| | | Outer dimensions: | |
| _ | | 555 x 413 x 100 mm (w x d x h) | |
| Rear panel 45 / 60 / 90 | | white, 100 mm high. | |
| 45 / 60 / 90 | | for trolley 45 Dim.: 447 x 105 mm (B x H) | 15751 |
| | | for trolley 60 | 05394 |
| | | Dim.: 555 x 105 mm (B x H) | |
| | | for trolley 90 Dim.: 857 x 105 mm (B x H) | 07559 |
| Drawer inset 45 / 60 / 90 | | with variable division made of transparent plastic. Removable, dishwasher safe. | |
| 45 / 60 / 90 | A F AT | for trolley 45, with 2 lanes and 4 dividers. | 16724 |
| | | Dim.: 390 x 385 x 55 mm (w x d x h) | |
| | | for trolley 60, with 3 lanes and 6 dividers. Dim.: 500 x 385 x 55 mm (w x d x h) | 16723 |
| | | for trolley 90, with 4 lanes and 11 dividers. Dim.: 800 x 385 x 55 mm (w x d x h) | 05100 |
| Drawer 60 | | for Variocar [®] 60, white, 300 mm high | 05089 |
| with guard rail | | Inner dim.: 502 x 384 x 280 mm (w x d x h) | |
| | | Please use 3 rear panels respectively, 100 mm high. | |



Ref. no.

Drawers h 200 mm / Drawer handles / Shelves / Keyboard tray

Description

Drawer with guard rail 45 / 60 / 90

Item



| 1 | white, 200 mm high | |
|---|---|-------|
| | for Variocar® 45 Inner dim.: 382 x 384 x 120 mm (w x d x h) | 05210 |
| | for Variocar [®] 60 Inner dim.: 502 x 384 x 120 mm (w x d x h) | 05816 |
| | for Variocar [®] 90 Inner dim.: 802 x 384 x 120 mm (w x d x h) | 04526 |
| | Please use 2 rear panels respectively, 100 mm high. (See on page 9) | |

| | | |
|---|---|---|
| Drawer handles | Ergonomic design handles in different colours: grey blue violet red yellow turquoise white black | 13161 13162 13163 13164 13165 13166 13167 |
| Shelf 45 / 60 / 90 without outer edge | for trolley 45 Dim.: 450 x 450 mm (B x T) for trolley 60 Dim.: 560 x 450 mm (B x T) for trolley 90 load capacity up to 10 kg. | 17123 05537 04528 |
| Shelf 45 / 60 / 90 with outer edge | Dim.: 860 x 450 mm (B x T) for trolley 45 Dim.: 450 x 450 x 70 mm (w x d x h) for trolley 60 Dim.: 560 x 450 x 70 mm (w x d x h) for trolley 90 Dim.: 860 x 450 x 70 mm (w x d x h) | 17124 05389 04529 |
| Shelf 45 / 60 / 90 with 3-sided outer edge | for trolley 45 Dim.: 490 x 450 x 90 mm (w x d x h) for trolley 60 Dim.: 600 x 450 x 90 mm (w x d x h) for trolley 90 Dim.: 900 x 450 x 90 mm (w x d x h) | 05027 05028 05029 |
| Shelf 60 with extension | for trolley 60. Extensible to the right as well as the left side. Extensible shelf dim.: 410 x 260 mm (w x d) | 05404 |
| Keyboard tray 60 | for trolley 60, white, extensible to the front, with click-in mechanism. With mouse pad, extensible to the right or left side. Tray has to be mounted underneath a drawer or shelf. Upward front edge approx. 60 mm high, side bolsters 100 mm high. | 15177 |

Ref. no.

Castors / Injection sets / Dressing dispenser

Castors



| | Surcharge for: | |
|---|---|-------|
| | 2 castors, lockable Ø 50 mm, | 05410 |
| | 2 castors, lockable Ø 75 mm, | 05411 |
| | 4 castors Ø 75 mm, | 15328 |
| | 4 castors, electrically conductive Ø 75 mm, | 05413 |
| _ | 4 castors Ø 100 mm, | 05615 |
| | 2 castors, lockable Ø 100 mm, | 05616 |
| | | |

Accessories for Variocar® + Variocar-Viva

All accessories can be easily fitted to the Variocar[®] trolley. The ref. no. contains the accessory part complete with attachment fittings. The ref. no. of the dispenser systems contains 1 pair of holding devices.

Description

Injection set "PicBox®"

Injection set "PicBox®"plus

Injection set



Grey-white plastic casing with clear plexiglass boxes. Consisting of syringe dispenser with 3 boxes, canulas dispenser with 5 boxes. According to the first-in/first-out principle and dust protection in accordance to DIN 58953. The boxes are replenished from the top, the material taken from below. This ensures that items placed in first will also be used first. 11381 Dim.: 600 x 220 x 410 mm (w x d x h) Description like injection set "PicBox®" but with KOMBI set. 11377 Dim.: 725 x 235 x 410 mm (w x d x h) Description like injection set "PicBox®" above, but with white casing, high-quality

"PicBox®"multi plastic veneer. 16335 Dim.: 630 x 235 x 435 mm (w x d x h) **Injection set** High-quality plastic veneered casing, white. "COMPACT" Practical compartments with inclination for syringes and canulas. To be filled from above material is removed from below, according to the first-in/first-out principle. 04538 Dim.: 600 x 220 x 450 mm (w x d x h) **Injection set** High-quality plastic veneered casing, white. "COMPACT" Practical compartments with inclination for syringes and canulas. To be filled from above -4 syringe compartments material is removed from below, according to the first-in/first-out principle. 04539 new Dim.: 600 x 220 x 450 mm (w x d x h)

 Dressing dispenser
 High quality casing, white plastic laminated finish, sealed through plexiglass cover, ideally arranged for easy access; with 2 stainless steel magnetic holders for scissors etc.
 04537

 Dim.: 600 x 220 x 450 mm (w x d x h)
 Dim.: 600 x 220 x 450 mm (w x d x h)
 04537

Item



Item Ref. no. Description Waste collectors / Holder for hygiene bags / Waste containers / Container for canulas / Disposal boxes / Holders Waste collector made of steel sheet, white aluminium "Klapp-Kuli" (RAL 9006), powder-coated. Holder for hygiene bags separately. for Variocar® with 2 drawers or more, for screwing with side panels. 09961 Dim.: 310 x 140 x 420 mm (w x d x h) Holder for for attaching at the right or left side of the "Klapp-Kuli", white aluminium. 08173 hygiene bags Hygiene bags made of paper with imprint. Price per 100 pieces. Minimum quantity 500 pieces = 1 unit p.h. 05192 Waste collector made of smooth and easy to clean plastic (100% polypropylene), telegrey 1 (RAL 7045), "tomo" with detachable, well closing lid and with mount. Capacity 10 litres (for disposable bags approx. w 450 x h 350 mm). Dim.: 315 x 180 x 315 mm (w x d x h) For Variocar® 11026 for standard profile rail 14066 Waste container Ø 320 mm made of stainless steel with pivot arm and attachment device for Variocar®. 04615 Waste container with polypropylene bowl, white, can be sterilized up to 134 °C, with mount for Variocare. Dim.: 300 x 230 x 130 mm (w x d x h) with slit lid 04616 without slit lid 04626 Container Disposable container for approx. 500 used for canulas canulas, made of black recycled plastic. "Schluckfix" Dim.: 55 x 100 x 170 mm (w x d x h) Set with 20 boxes and Variocar® holder 09498 Set with 100 boxes, without holder 09490 Holder separately for Schluckfix to Variocar® 04666 "Medi-Müll" made of sunshine yellow polypropylene disposal box with green lid. Offers 3 practical ways for à 1,5 litres capacity disposing of canulas, vacutainers, scalpels, pipettes, etc. Dim.: height 152 mm Ø lid 143 mm / Ø base 108 mm Set with 20 boxes and holder 04778 Set with 100 boxes, without holder 16653

separately, Ø 129 mm, for "Medi-Müll" box

to Variocar[®].

04670

Holder

04624

Arm support / Catheter holder **Ampoule opener** Grey-white plastic casing with removable "CUPFIX" holder for ampoules, Diamond file, springmounted, in stainless steel casing. With holder for Variocar®. 05771 Dim.: 70 x 150 x 200 mm (w x d x h) Attachment **Equipment console** 45 / 60 / 90 for Variocar® 60 09499 Dim.: 600 x 250 x 180 mm (w x d x h) for Variocar® 90 05102 Dim.: 900 x 250 x 180 mm (w x d x h) **Console support** 1 pair for attaching to the Variocar[®]. Suitable for injection set and dressing dispenser "COMPACT", injection set "PicBox®" and "PicBox®" plus, white aluminium (RAL 9006), powder-coated. 05251 Dim.: 140 x 43 x 190 mm (w x d x h) Usable height: 166 mm 1 pair for attaching to the Variocar® cabinet for cabinet trolley trolley. Suitable for injection set and dressing dispenser "COMPACT", injection set "PicBox®" and "PicBox®" plus, white aluminium (RAL 9006), powder-coated. 05099 Dim.: 140 x 43 x 190 mm (w x d x h) Usable height: 166 mm black, padded with integral upholstered Arm support foam, extra sturdy, with 2 attachment devices for Variocar®. 09496

Description

Catheter holder



made of stainless steel, 3 compartments, for hanging at Variocar® frame or shelf.

Dim.: 160 x 96 x 560 mm (w x d x h)



| | Spare diamond file for "CUPFIX" to Variocar® | 04663 04662 | |
|---|---|----------------|--|
| | made of sheet steel, powder-coated, white aluminium (RAL 9006), load capacity 5 kg. | | |
| ĩ | For Variocar® 45 Dim.: 490 x 250 x 180 mm (w x d x h) | 17110 | |

Ampoule opener / Holder / Equipment consoles / Console supports /

Variocar[®]+ Variocar[®] Vin/G

Ref. no.

Item



Item

Description

Ref. no.

Cable and hose holders / Infusion bottle holder / Holders for oxygen bottles / Lamp / Multiple socket outlet / Attachment device

| Cable and hose holder | UU UU | made of silver coloured aluminium, with one-hand push-button adjustment. 2 joints, 2 cable routing elements. With attachment device. | 10265 |
|---|--|--|-------|
| | 1 | Range approx. 950 mm | |
| Cable and hose holder with flex-shaft | (The second sec | with 2 joints of plastic, arms made of silver coloured aluminium and chromium-plated flex-shaft. With attachment device. | 16650 |
| nfusion pottle holder | | chrome plated, with 4 hooks, 100 cm long, extension 85 – 185 cm, Ø 16 mm, with screw lock; including 2 attachment devices. | 04621 |
| Holder | Û_Û | for oxygen bottles 2 litres; white aluminium (RAL 9006). Upper supporting ring Ø 102 mm, lower supporting ring Ø 84 mm. | 04811 |
| Holder | 1 | for oxygen bottles 5/10 litres. with Ø up to 145 mm, upper holder with fixing tape included. | 17298 |
| | | Upper holding strap with fixing tape, separately | 16324 |
| Halux [®] LED F 7-P | | LED examination lamp with spring balanced swivel arm. The lamp head has a double-wall casing for optimized cooling. | 05522 |
| | | Light output: 15.000 Lux / 0,5 m Supply voltage: 100 - 240 V; 50/60 Hz Attachment device for Variocar® | 05234 |
| | | Further lamps can be found in separate price list. | 00201 |
| Multiple socket outlet standard | .Beees | 4 grounding sockets, light-grey cable, (3 m long) with moulded grounding plug, green 2-pin switch, quality housing ano- dised aluminium, 2 grey plastic fastening angles included. | 21692 |
| | | Dim.: 269 x 44,5 x 44,5 mm (w x d x h) Further multiple socket outlets you will find in the separate electrical accessories list. | |
| Attachment device Variogrip | e | for universal use with all Variocar attach- ment units. Suitable for use on square tubes 20 x 20 mm and round tubes \emptyset 22 mm. Intake with sleeve \emptyset 10 mm, without sleeve \emptyset 16 mm. | 04560 |
| | | With hand wheel | 04300 |



prices and designs. As for the rest our General Terms of Business in the valid version apply.

WEEE-Reg. no. DE 20235235

Dimensions of various **Variocar**[®] + **Variocar**[®]

Basic trolley 705 / 730 mm high



Basic trolley 805 / 830 / 870 mm high









Shelf trolley 830 / 870 mm high



Our versatile product range



Your medical distributor

HAEBERLE GmbH + Co. KG

Breitwiesenstr. 13, DE-70565 Stuttgart P.O.Box 800524, DE-70505 Stuttgart Phone +49 (0) 711/78314-0 Fax +49 (0) 711/78314-77 info@haeberle-med.de www.haeberle-med.de

Version 07/19